






Category
PNEUMATIC ACTUATOR DP
DIGITAL ELECTRO-PNEUMATIC POSITIONER
ELECTRIC ACTUATOR
TOTAL

Connection
PNEUMATIC ACTUATOR DP

Design
EXTENDED STEM
RETRACTED STEM

Actuators													
THUMBNAIL	SERIES	DP32	DP33	DP34	DP34T	DP34Tri	DP35	94P20-00G-0000-Z0	94P20-00G-1000-Z0	94P20-01G-0000-Z0	94P20-01G-1000-Z0		
	PNEUMATIC DP - DISC	●	●	●	●	●	●						
	STEVI® POS P20 POSITIONER - DISC							●	●	●	●		
Electric Actuator													
THUMBNAIL	SERIES	115 V	230 V	24 V	400 V	24V AC/OC 100-240V AC/ 400V							Range kN
	PREMIO®-Plus 2G					●							2.2kN-25kN
	PREMIO®	●	●	●	●								2.2kN-25kN
	PACO® - DISC		●	●									2.2kN-25kN

	Application/ Medium			
Actuators				
DP PNEUMATIC ACTUATOR				
	Pneumatic actuator DP	Industrial installations, processing technology, plant manufacturing, etc.		
STEVI® POS P20 ACTUATOR POSITIONER				
	Digital electro-pneumatic positioner	Industrial installations, processing technology, plant manufacturing, etc		
Electric Actuator				
PREMIO®-Plus 2G ELECTRIC ACTUATOR				
	Electric actuator ARI-PREMIO-Plus 2G	Industrial installations, processing technology, plant manufacturing, etc		
PREMIO® ELECTRIC ACTUATOR				
	Electric actuator ARI-PREMIO	Industrial installations, processing technology, plant manufacturing, etc		
PACO® ELECTRIC ACTUATOR				
	Electric actuator ARI-PACO 0,85kN	Heating facilities, AIR conditioning facilities		

	You may also Need			
DP	STEVI®	STEVI® 450	STEVI® 470	
ACTUATOR	CONTROL	CONTROL	CONTROL	
	440,441,445,446 			
STEVI® POS P20				
ACTUATOR POSITIONER				
				
PREMIO®-Plus 2G	STEVI®	STEVI® 470	DP	
ELECTRIC ACTUATOR	CONTROL	CONTROL	PNEUMATIC DP	
	440,441,445,446 			
PREMIO®	STEVI® 470	DP		
ELECTRIC ACTUATOR	CONTROL	PNEUMATIC DP		
				
PACO®	STEVI® 450	STEVI®	EURO-WEDI®	
ELECTRIC ACTUATOR	CONTROL	CONTROL	ISOLATION	
		480,483,485,486,487,488 		

Operating Range	Series	Category Known As 1	Current Type	Figure	TRAVEL	DESIGN	CONTROL	FEEDBACK	Manometer	Temp. (Permissible ambient temp.)
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	04MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	04MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	05MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	05MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	07MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	07MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	08MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	08MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	10MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	10MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	13MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	13MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	17MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	17MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	20MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	20MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	25MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	30MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP32	30MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	04MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	04MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	05MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	05MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	07MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	07MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	08MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	08MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	10MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	10MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	13MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	13MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	17MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	17MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	20MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	20MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	25MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	25MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	30MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	30MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	32MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP33	38MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	10MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	13MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	13MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	17MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	17MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	20MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	20MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	25MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	25MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	30MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	30MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	32MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	32MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	38MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	38MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	50MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	50MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	65MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	65MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34	75MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34T	30MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34T	30MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34T	32MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34T	32MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34T	38MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34T	38MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34T	50MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34T	50MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34T	65MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34T	65MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34T	75MM	RETRACTED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34Tri	30MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34Tri	32MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34Tri	38MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34Tri	50MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34Tri	65MM	EXTENDED STEM				-40°C - 100°C

Operating Range	Series	Category Known As 1	Current Type	Figure	TRAVEL	DESIGN	CONTROL	FEEDBACK	Manometer	Temp. (Permissible ambient temp.)
ACTUATOR	PNEUMATIC ACTUATOR DP			DP34Tri	75MM	EXTENDED STEM				-40°C - 100°C
ACTUATOR	DIGITAL ELECTRO-PNEUMATIC POSITIONER	ARI-STEVI-POS P20		94P20-00G-1000-Z0			4 - 20mA 2-WIRE	-	ALUMINUM MANOMETER PLASTIC	-20°C - 80°C
ACTUATOR	DIGITAL ELECTRO-PNEUMATIC POSITIONER	ARI-STEVI-POS P20		94P20-01G-1000-Z0			4 - 20mA 2-WIRE	ANALOG FEEDBACK SIGNAL 4-20mA	ALUMINUM MANOMETER PLASTIC	-20°C - 80°C
ACTUATOR	DIGITAL ELECTRO-PNEUMATIC POSITIONER	ARI-STEVI-POS P20		94P20-00G-0000-Z0			4 - 20mA 2-WIRE	-		-20°C - 80°C
ACTUATOR	DIGITAL ELECTRO-PNEUMATIC POSITIONER	ARI-STEVI-POS P20		94P20-01G-0000-Z0			4 - 20mA 2-WIRE	ANALOG FEEDBACK SIGNAL 4-20mA		-20°C - 80°C
Operating Range	Series	Category Known As 1	Current Type	VOLTAGE	FREQUENCY	DESIGN	CONTROL	FEEDBACK	Manometer	Temp. (Permissible ambient temp.)
ELECTRIC ACTUATOR	PREMIO-Plus 2G	PREMIO-Plus 2G 12kN	UC	AC 90-264 V/DC 127-370 V	50/60 Hz					-20°C - 60°C
ELECTRIC ACTUATOR	PREMIO-Plus 2G	PREMIO-Plus 2G 12kN	UC	24 V	50/60 Hz					-20°C - 60°C
ELECTRIC ACTUATOR	PREMIO-Plus 2G	PREMIO-Plus 2G 15kN	UC	AC 90-264 V/DC 127-370 V	50/60 Hz					-20°C - 60°C
ELECTRIC ACTUATOR	PREMIO-Plus 2G	PREMIO-Plus 2G 15kN	UC	24 V	50/60 Hz					-20°C - 60°C
ELECTRIC ACTUATOR	PREMIO-Plus 2G	PREMIO-Plus 2G 2,2kN	UC	24 V	50/60 Hz					-20°C - 60°C
ELECTRIC ACTUATOR	PREMIO-Plus 2G	PREMIO-Plus 2G 2,2kN	UC	AC 90-264 V/DC 127-370 V	50/60 Hz					-20°C - 60°C
ELECTRIC ACTUATOR	PREMIO-Plus 2G	PREMIO-Plus 2G 5kN	UC	AC 90-264 V/DC 127-370 V	50/60 Hz					-20°C - 60°C
ELECTRIC ACTUATOR	PREMIO-Plus 2G	PREMIO-Plus 2G 5kN	UC	24 V	50/60 Hz					-20°C - 60°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 12kN	AC	115 V	60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 12kN	AC	24 V	60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 12kN	AC	115 V	50 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 12kN	3AC	400 V	60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 12kN	AC	24 V	50 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 12kN	AC	230 V	50 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 12kN	AC	230 V	60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 12kN	3AC	400 V	50 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 15kN	3AC	400 V	50 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 15kN	AC	24 V	50 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 15kN	AC	115 V	60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 15kN	AC	24 V	60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 15kN	AC	115 V	50 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 15kN	AC	230 V	50 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 15kN	AC	230 V	60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 15kN	3AC	400 V	60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 15kN	3AC	400 V	60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 2,2kN	AC	24 V	50/60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 2,2kN	AC	115 V	50/60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 2,2kN	AC	230 V	50/60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 5kN	AC	115 V	50/60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 5kN	AC	24 V	50/60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 5kN	AC	24 V	60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 5kN	AC	230 V	50/60 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PREMIO	PREMIO 5kN	AC	24 V	50 Hz					-20°C - 70°C
ELECTRIC ACTUATOR	PACO	PACO 0,85 D	DC	24 V	50/60 Hz					0°C - 50°C
ELECTRIC ACTUATOR	PACO	PACO 0,85 D	AC	230 V	50/60 Hz					0°C - 50°C
ELECTRIC ACTUATOR	PACO	PACO 0,85 Y	DC	24 V	50/60 Hz					0°C - 50°C