

Category

LEVEL GAUGE

Form

ANGLE PATTERN



GLOBE

THUMBNAIL	SERIES	FIGURE	PN16	PN20	PN25	PN50						Total Variations	DN
	LEVEL GAUGE	081		●									15-20

	Application/ Medium			
Series Level Gauge				
FIG.081	LIQUID GAUGE, SEALING WITH NEEDLE POINT VALVE, 1/8" DRAIN COCK WITH BSPT, BSP OR NPT ENDS			
INSTRUMENTATION				
	Class 150/300 (10 BAR, 20 BAR)	Storage Tanks, Reservoirs, Boilers and Similar installations	10 BAR (150 PSI) - Steam	20 BAR (300 PSI) - Water, Oil

You may also Need				
Series Level Gauge FIG.081 INSTRUMENTATION				
	CONTROL	ISOLATION	ISOLATION	
	MODENTIC BALL VALVE	DECA GATE VALVE	DECA SWING CHECK VALVE	
	MD84 - 15MM, 20MM, 25MM	DECA FIG.067 15-100MM	DECA FIG.049 15-80MM	
				

Operating Range	Series	Category Known As 1	Category Known As 2	Figure	PN	DN	Material	Material Name	Connection	Form
INSTRUMENTATION		LEVEL GAUGE	LIQUID GAUGE	081	PN20	15MM	B62-C836/B124-C377	BRONZE/BRASS	THREADED ENDS	ANGLE
INSTRUMENTATION		LEVEL GAUGE	LIQUID GAUGE	081	PN20	20MM	B62-C836/B124-C377	BRONZE/BRASS	THREADED ENDS	ANGLE