




Category
SIGHT GLASS
STRAINER

Form
STRAIGHT THROUGH

SIGHT GLASS													
THUMBNAIL	SERIES	FIGURE	PN10	PN20	PN25	PN40							DN
	SIGHT GLASS	088											10-50
STRAINER													
	STRAINER	F85		●									15-50
	STRAINER	085		●									15-50

	Application/ Medium			
Series Steam Traps				
FIG.088	BRONZE BODY, HARDENED SIGHT GLASS			
SIGHT GLASS				
	Condensated Steam Lines (PSI 50, 3.5 BAR)	Liquids up to 60°C (PSI 100, 7 BAR)		
Series Strainer				
FIG.F85				
				
FIG.085	Y-TYPE WITH DRAIN PLUG, SCREWED FEMALE BSP PARALLEL THREADS			
	Screwed in cover C/W Stainless Steel perforated sheet screen	Salient Features: Fine finish casting to reduce pressure drop. Screen is guided in the body. Corrosion Resistant screen is used. Large ratio between the clear area through the strainer and pipe area, to limit pressure drop to the minimum	Municipal Water Treatment, Irrigation Systems, HVAC, Building Services, Power Generation, Heating, Process Industries, Petrochemical, Lubrication, Hydraulics, Compressed air systems, Manufacturing	Test Pressures: 30 Bar Hyd. Applications: Water, Steam, Oil & Air



You may also Need

Series Steam Traps

FIG.088

SIGHT GLASS



CONTROL

MODENTIC BALL VALVE

MD84 - 15MM, 20MM, 25MM



ISOLATION

DECA GATE VALVE

DECA FIG.067 15-100MM



AUXILLIARY

WIKA PRESSURE GAUGE

PGAUGEHD100D0-1000



GASKET

GASKETS

RJ T16 SLS 15-200MM



Series Strainer

FIG.F85





FIG.085

ISOLATION

DECA GATE VALVE

DECA FIG.067 15-100MM



CONTROL

MODENTIC BALL VALVE

MD84 - 15MM, 20MM, 25MM



AUXILLIARY KIT

PRESSURE GAUGE, PIGTAIL,
GAUGE COCK

PGAUGEHD100D0-1000,
PIGTAIL006/010, ATAM- AV214



GASKET

RJ T16 SLS

DN 15-DN 200



Operating Range	Series	Category Known As 1	Category Known As 2	Figure	PN	DN	Material	Material Name	Connection	Form	Temp./*body	Count
STEAM TRAPS	SIGHT GLASS	SIGHT GLASS		088		DN 10	B62-C836	BRONZE	SCREWED	STRAIGHT THROUGH	UP TO 60°C	1
STEAM TRAPS	SIGHT GLASS	SIGHT GLASS		088		DN 15	B62-C836	BRONZE	SCREWED	STRAIGHT THROUGH	UP TO 60°C	1
STEAM TRAPS	SIGHT GLASS	SIGHT GLASS		088		DN 20	B62-C836	BRONZE	SCREWED	STRAIGHT THROUGH	UP TO 60°C	1
STEAM TRAPS	SIGHT GLASS	SIGHT GLASS		088		DN 25	B62-C836	BRONZE	SCREWED	STRAIGHT THROUGH	UP TO 60°C	1
STEAM TRAPS	SIGHT GLASS	SIGHT GLASS		088		DN 32	B62-C836	BRONZE	SCREWED	STRAIGHT THROUGH	UP TO 60°C	1
STEAM TRAPS	SIGHT GLASS	SIGHT GLASS		088		DN 40	B62-C836	BRONZE	SCREWED	STRAIGHT THROUGH	UP TO 60°C	1
STEAM TRAPS	SIGHT GLASS	SIGHT GLASS		088		DN 50	B62-C836	BRONZE	SCREWED	STRAIGHT THROUGH	UP TO 60°C	1
STEAM TRAPS	STRAINER	FILTER VALVE	MESH VALVE	085	PN 20	DN 15	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE		1
STEAM TRAPS	STRAINER	FILTER VALVE	MESH VALVE	085	PN 20	DN 20	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE		1
STEAM TRAPS	STRAINER	FILTER VALVE	MESH VALVE	085	PN 20	DN 25	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE		1
STEAM TRAPS	STRAINER	FILTER VALVE	MESH VALVE	085	PN 20	DN 32	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE		1
STEAM TRAPS	STRAINER	FILTER VALVE	MESH VALVE	085	PN 20	DN 40	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE		1
STEAM TRAPS	STRAINER	FILTER VALVE	MESH VALVE	085	PN 20	DN 50	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE		1
STEAM TRAPS	STRAINER	FILTER VALVE	MESH VALVE	F85	PN 20	DN 15	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE		1
STEAM TRAPS	STRAINER	FILTER VALVE	MESH VALVE	F85	PN 20	DN 20	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE		1
STEAM TRAPS	STRAINER	FILTER VALVE	MESH VALVE	F85	PN 20	DN 25	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE		1
STEAM TRAPS	STRAINER	FILTER VALVE	MESH VALVE	F85	PN 20	DN 32	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE		1
STEAM TRAPS	STRAINER	FILTER VALVE	MESH VALVE	F85	PN 20	DN 40	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE		1
STEAM TRAPS	STRAINER	FILTER VALVE	MESH VALVE	F85	PN 20	DN 50	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE		1