



Operating Range:
Steam Trap



Category

STRAINER

Connection

SCREWED

Form

Y-TYPE

STRAINER													
THUMBNAIL	FIGURE	PN16	PN20	PN25	PN40	PN50							DN
	085 - DISC		●										15-50



Application/ Medium

Series Strainer

FIG. 085

TRAP

Y-TYPE WITH DRAIN PLUG, SCREWED FEMALE BSP PARALLEL THREADS



Screwed in cover C/W Stainless Steel perforated sheet screen

Salient Features: Fine finish casting to reduce pressure drop. Screen is guided in the body. Corrosion Resistant screen is used. Large ratio between the clear area through the strainer and pipe area, to limit pressure drop to the minimum

Municipal Water Treatment, Irrigation Systems, HVAC, Building Services, Power Generation, Heating, Process Industries, Petrochemical, Lubrication, Hydraulics, Compressed air systems, Manufacturing

Test Pressures: 30 Bar Hyd.
Applications: Water, Steam, Oil & Air



You may also Need

Series Strainer

FIG. 085

TRAP



ISOLATION

DECA GATE VALVE

DECA FIG.067 15-100MM



CONTROL

MODENTIC BALL VALVE

MD84 - 15MM, 20MM, 25MM



AUXILLIARY KIT

PRESSURE GAUGE, PIGTAIL,
GAUGE COCK

PGAUGEHD100D0-1000,
PIGTAIL006/010, ATAM- AV214



GASKET

RJ T16 SLS

DN 15-DN 200



Operatling Range	Series	Category Known As 1	Category Known As 2	Figure	PN	DN	Material	Material Name	Connection	Form	Temp./*body
TRAPS	STRAINER	FILTER VALVE	MESH VALVE	085	PN 20	DN 15	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE	
TRAPS	STRAINER	FILTER VALVE	MESH VALVE	085	PN 20	DN 20	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE	
TRAPS	STRAINER	FILTER VALVE	MESH VALVE	085	PN 20	DN 25	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE	
TRAPS	STRAINER	FILTER VALVE	MESH VALVE	085	PN 20	DN 32	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE	
TRAPS	STRAINER	FILTER VALVE	MESH VALVE	085	PN 20	DN 40	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE	
TRAPS	STRAINER	FILTER VALVE	MESH VALVE	085	PN 20	DN 50	BS 1400 LG2	BRONZE	SCREWED	Y-TYPE	