




Category	Series	Variations
HANDWHEELS	2	4
TOTAL		4



SPARES													Total Variations	DN
THUMBNAIL	SERIES	FIGURE												
	METAL HANDWHEEL	MPHW125M											4	8-25
	PLASTIC HANDWHEEL	MPHW125											1	20

	Application/ Medium			
Series Spares				
MPHW125M HANDWHEEL				
	METAL	These are durable and often used in industrial settings where strength and resistance to corrosion are important.		
MPHW125 HANDWHEEL				
	PLASTIC	Lightweight and resistant to certain chemicals, making them suitable for less demanding environments or specific chemical applications		

	Used With			
Series Spares				
MPHW125M HANDWHEEL	CONTROL	ISOLATION		
	DECA NEEDLE VALVE	DECA GLOBE VALVES		
	DECA FIG.003 (8MM,15MM,20MM,25MM)	DECA FIG.004/005/009/010/011/012/015/027/101 (8MM,15MM,20MM,25MM)		
				
MPHW125 HANDWHEEL	ISOLATION			
	DECA GLOBE VALVE			
	DECA FIG.104 (15MM,20MM,25MM)			
				

Operatiing Range	Series	Category Known As 1	Category Known As 2	Figure	PN	DN	Material	Material Name
SPARES		HANDWHEEL	HANDLE	MPHW125		20MM	POLYAMIDE	PLASTIC
SPARES		HANDWHEEL	HANDLE	MPHW125M		8MM	B-85 S 12 A	METAL
SPARES		HANDWHEEL	HANDLE	MPHW125M		15MM	B-85 S 12 A	METAL
SPARES		HANDWHEEL	HANDLE	MPHW125M		20MM	B-85 S 12 A	METAL
SPARES		HANDWHEEL	HANDLE	MPHW125M		25MM	B-85 S 12 A	METAL